


4-Way Reversing Valve Capacity Chart [R407C]


Condensing Temp. : 38 °C
 Evaporator Temp. : 5 °C
 Superheat Temp. : 5 K



- | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| — STF-H0167 | — STF-H0267 | — STF-H0321 | — STF-H0351 | — STF-H0429 |
| — STF-H0651 | — STF-H0731 | - - - STF-H0951 | - - - STF-H0954 | - - - STF-2027G |
| - - - STF-2522G | - - - STF-3019G | - - - STF-4013G | - - - STF-5020G | - - - STF-6009G |

4-Way Reversing Valve Capacity Chart [R410A]


Condensing Temp. : 38 °C
 Evaporator Temp. : 5 °C
 Superheat Temp. : 5 K



- | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| — STF-H0167 | — STF-H0267 | — STF-H0321 | — STF-H0351 | — STF-H0429 |
| — STF-H0651 | — STF-H0731 | - - - STF-H0951 | - - - STF-H0954 | - - - STF-2027G |
| - - - STF-2522G | - - - STF-3019G | - - - STF-4013G | - - - STF-5020G | - - - STF-6009G |

4-Way Reversing Valve Capacity Chart [R448A]


Condensing Temp. : 38 °C
 Evaporator Temp. : 5 °C
 Superheat Temp. : 5 K



- | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| — STF-H0167 | — STF-H0267 | — STF-H0321 | — STF-H0351 | — STF-H0429 |
| — STF-H0651 | — STF-H0731 | - - - STF-H0951 | - - - STF-H0954 | - - - STF-2027G |
| - - - STF-2522G | - - - STF-3019G | - - - STF-4013G | - - - STF-5020G | - - - STF-6009G |

4-Way Reversing Valve Capacity Chart [R449A]


Condensing Temp. : 38 °C
 Evaporator Temp. : 5 °C
 Superheat Temp. : 5 K



- | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| — STF-H0167 | — STF-H0267 | — STF-H0321 | — STF-H0351 | — STF-H0429 |
| — STF-H0651 | — STF-H0731 | - - - STF-H0951 | - - - STF-H0954 | - - - STF-2027G |
| - - - STF-2522G | - - - STF-3019G | - - - STF-4013G | - - - STF-5020G | - - - STF-6009G |

4-Way Reversing Valve Capacity Chart [R407H]

Condensing Temp. : 38 °C
 Evaporator Temp. : 5 °C
 Superheat Temp. : 5 K



- | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| — STF-H0167 | — STF-H0267 | — STF-H0321 | — STF-H0351 | — STF-H0429 |
| — STF-H0651 | — STF-H0731 | - - - STF-H0951 | - - - STF-H0954 | - - - STF-2027G |
| - - - STF-2522G | - - - STF-3019G | - - - STF-4013G | - - - STF-5020G | - - - STF-6009G |